



Ekin X SPOTTER

Fixed ANPR, Speed and Traffic Violation Recognition System



Leader in Smart City Innovations

Ekin X Spotter is a fixed smart Al-based traffic enforcement system that performs automatic number plate recognition, speed, and violation detection of all vehicles in its field of view. Equipped with a 4K Super High-Resolution sensor and video-based number plate recognition technology, it's able to perform continuous traffic monitoring.



Why Ekin X Spotter?

Self-Contained Design

Offering a compact design, it can be easily mounted on a post, cross arm or tripod to perform traffic analytics and violation detection. Built-in and ready LTE, Wi-Fi, ethernet support, providing versatile application and range.

Fixed Surveillance

Our fixed application provides a surveillance range of g lanes. Able to operate in communication with all smart systems citywide, ensuring 100% continuous traffic monitoring.

High-Resolution Videos

Equipped with a 4K Super High-Resolution sensor, the Ekin X Spotter ensures high-resolution video and ANPR. Able to capture images and videos while maintaining maximum focus and sharpness.

24/7 Surveillance and Traffic Control

Ekin's video-based number plate recognition technology can capture the violation moment as well as the entire traffic flow which offers a distinct benefit when compared to conventional photograph-based systems.

Internationally Applicable

Ekin X Spotter recognizes number plates from multiple regions including Europe, North America, Latin America, Asia, and the Middle East with high accuracy identification.

Central Management by Ekin Maestro OS

The Ekin Maestro OS operates the complete traffic systems of a city from one central back-office including Ekin X Spotter and other Ekin devices. Working simultaneously and in real-time to compare databases, it generates alerts to assure an effective response time from law enforcement officials.



FUNCTIONS

* More than one device is needed for all functions



- Analysis of rush hour congestion for specified points of interest, flow of cars passing toll points including delays and "hotspots" of traffic congestion by date and time
- Congestion time monitoring
- Vehicle counting and identification in designated points of interest



TXY 38 Z Number Plate Recognition

- Ability to capture every number plate in its field of view with its video-based number plate recognition system
- Advance technology for up to 3 lanes
- Simultaneous automatic number plate recognition for approaching, departing, or parked vehicles
- Identification of wanted or stolen vehicles within a specific database
- Vehicle type classification (bus, truck, car, motorbike) based on Al image processing
- Vehicle make, model, color recognition from the front and rear of vehicle



Speed Detection *optional

- Automatic speed detection range for the vehicles in the field of view
- Different speed limit adjustment for each lane and/or vehicle type
- Generates automatic citations or reports accurately and with required violation information



Traffic Management Detection

- Red light enforcement and illegal turn violations
- Illegal lane change, tailgating, safety lane violations
- Generates alerts of traffic congestion and accidents



Parking Enforcement

- Detection of vehicles exceeding the parking time in the defined parking zone
- Generates automatic citations or reports containing required violation information



Video Surveillance

- 24/7 surveillance and video recording
- Day and night 4K video recording, including in adverse weather conditions

ON-BOARD INTELLIGENCE



EXY 38 Z Fully Automated NPR



Speed Detection*



Red Light Violation Detection*



Vehicle Counting*



Vehicle Make, Model, Color Recognition*



Traffic Density Analytics*

^{*} Optional



Vehicle Classification*



Tailgating Detection*



Lane, Turn, Wrong Way Violations*



Vehicle Detection*



Stopped Vehicle Detection*



Pedestrian Detection*

TECHNICAL FEATURES

DETECTION

Fixed Application Speed Detection Range	Up to 320 Km/h
Coverage	3 lanes including approaching and departing vehicles
Number of Simultaneously Detected Vehicles	Over 100 vehicles

ILLUMINATION

IR Spot	√
Day and Night Number Plate Detection	√
■ Flash	Optional

SYSTEM SOFTWARE

Automatic Number Plate Recognition	24/7 for all the vehicles in the field of view
■ Web Service	√
Protocol	TCP/IP, UDP, NTP, FTP, RAW
Various Database Support	SQL/NoSQL
Alarm Management	√
Remote Secure Installation and Access	√
Violation Photo and Video Evidence	√
24/7 Surveillance Record	√
■ Watermark	Applied on all photos and videos
Storage Capacity	Up to 8 TB
Vehicle Color, Brand, Type and Model Detection	Optional
Communication with Other Smart City Solutions via Ekin Maestro OS	✓

CENTRAL SOFTWARE

■ Various Database Support	SQL/NoSQL
Graded Authorization	Admin, Supervisor, Users
Customizable Fine Printing	✓
SMS and Mail Support	✓
Automatic Update	✓
Log Record	✓

ELECTRICAL FEATURES

Connection Interfaces	Ethernet, LTE
Required Power Supply	12 VDC/120 Watt
Power Consumption	<40 Watt/Hour

ENVIRONMENTAL FEATURES

Operating Temperature	-40°C +60°C
Storage Temperature	-40°C +85°C
Humidity Rate	80-95% non-condensing
▮ IP Class	IP67
Impact Protection Class	IK10

PRODUCT DIMENSIONS

Dimensions (Width × Length × Height)	220 mm × 260 mm × 120 mm
■ Weight	3.5 kg



Leader in Smart City Innovations

Fixed Products

Ekin Spotter

Ekin Box Spotter

Ekin X Spotter

Mobile Products

Ekin Patrol G2

Ekin Micro Patrol

Ekin X Spotter Mobile

Ekin.com

LEGAL PROTECTION: Patent pending. All rights of this document and the content, products, visuals of products, texts, software and other materials contained in this document belong to Ekin and the same are protected under IP rights (patent, trademark, design and copyright) by Ekin as well. Product is designed in a manner that neither Ekin nor any unauthorized third party can access to the records and data obtained by this product. The responsibility for the usage of this product in accordance with the terms of the personal data protection laws and relevant legislation as well as storage, handling, usage, process of the records and data obtained by the Product, in accordance with the terms of the personal data protection laws and relevant legislation belong to the user of the Product. The user of the product is also responsible for notifying the owners or relevant parties of the personal data and, for obtaining required permission from them. You may distribute this document however referring to, reproducing and copying this document and any material thereon without the written permission of Ekin are prohibited.